

Computer processing of text and image: EDYRO PRESS PUBLISHER

EDITOR-IN-CHIEF: Wilhelm W. KECS, University of Petroșani, România

EDITORIAL BOARD

Malvina BAICA, University of Wisconsin-Whitewater, USA

Eveline BĂEȘU, University of Nebraska-Lincoln, USA

Sanda CLEJA-ȚIGOIU, University of Bucharest, România

Wilhelm KECS, University of Petroșani, România

Solomon MARCUS, Romanian Academy, Bucharest, România

Radu PRECUP, Babeș-Bolyai University, Cluj-Napoca, România

Victor D. ȘEREMET, Agrarian State University of Moldova, Moldova

P. P. TEODORESCU, University of Bucharest, România

EDITORIAL SECRETARY: Maria DOBRIȚOIU

University of Petroșani, România

E-mail: mariadobritoiu@yahoo.com

Technical Editor: Mariana CODESCU

Cover-to-cover reviewing in:
Mathematical Review, Zentralblatt MATH.

Transylvanian Journal of Mathematics and Mechanics is published biannually: June and December.

Transylvanian Journal of Mathematics and Mechanics was founded in 2009 at Petroșani and publishes research articles in any area of pure and applied mathematics and mechanics.

All submissions to our journal should be written in English.

BAICA-CARDU PARATRIGONOMETRY, A GENERALIZATION OF THE CLASSICAL AND SOME NEW NON-CLASSICAL TRIGONOMETRIES AND ITS APPLICATION IN MECHANICS AND WAVE THEORY

M. BAICA AND M.CARDU

ABSTRACT. In their previous papers the authors introduced some new Trigonometries as: 1. Quadratic Trigonometry (QT), 2. Polygonal Trigonometry (PT), 3. Trans Trigonometry (TT), 4. Infra Trigonometry (IT), 5. Ultra-Trigonometry (UT), 6. Extra Trigonometry (ET), 7. Para-Trigonometry (PRT). This time in this paper we perform a synthesis of all these Trigonometries and state some of their applications.

1. INTRODUCTION

It is known that in the most technical domains and in the wave theory the oscillation character predominates and as such, in many cases these phenomena can be mathematically modeled using the trigonometric functions *sina* and *cosa*, respectively. Of course, there are many oscillation phenomena of which mathematical representation does not have a sinusoidal form and in their analysis using the Classical Trigonometry is useless.

In this case the decomposition of these functions in Fourier series is used in order to do the mathematical modeling needed. Therefore starting with this difficulty the authors felt the need to invent new non-classical trigonometries where the basic trigonometric figure specific to each individual non-classical trigonometry is going to overcome the above mentioned oscillation problem.

2. AUTHORS PREVIOUS RESULTS

It al started with the well known relation in the Classical Trigonometry (CT)

$$\sin^2 \alpha + \cos^2 \alpha = 1 \tag{1}$$

which for QT becomes

$$|sq\alpha| + |cq\alpha| = 1 \tag{2}$$

for (PT) is

$$sp^k\alpha + cp^k\alpha = 1 \tag{3}$$

for (TT) is

$$|st_k\alpha|^k + |ct_k\alpha|^k = 1 \tag{4}$$

for (IT) is

$$|si_k\alpha|^k + |ci_k\alpha|^k = 1 \tag{5}$$

for (UT) is

$$|su_k\alpha|^k + |cu_k\alpha|^k = 1 \tag{6}$$

2010 Mathematics Subject Classification. 26EXX, 78A99.

Key words and phrases. Quadratic Trigonometry (QT), Polygonal Trigonometry (PT), Trans-Trigonometry (TT), Infra-Trigonometry (IT), Ultra-Trigonometry (UT), Extra Trigonometry (ET) and Para-Trigonometry (PRT).

for (ET) is

$$|se_k\alpha|^k + |ce_k\alpha|^k = 1 \quad (7)$$

and for (PRT) is

$$|spr_k\alpha|^k + |cpr_k\alpha|^k = 1 \quad (8)$$

The Para-Trigonometry comprises all of the others Trigonometries and in the following section we will give a summary of this fact.

The inclusions table of all the Classical and Non-Classical Trigonometries in the Para-Trigonometry. The key of this discussion is the order of k in the relations of Section 2.

The name of the PRT structure	The value domain of the order k	The basic trigonometric figure form (BTF)	The category as part of PRT
Infra-Trigonometry (IT) 4.	$0 \leq k < 1$	Rhombus with curved sides and the concavity opposite to the reference O^*	Infra-Trigonometry (IT) 4.
Quadratic Trigonometry (QT) 1.	$k = 1$	Rhombuses with straight sides (rhombus with "para-trigonometric mirrors")	Quadratic Trigonometry (QT) 1.
Trans-Trigonometry (TT) 3.	$1 < k < 2$	Rhombuses with curved sides and the concavity towards the reference O^*	Extra-Trigonometry $1 < k \leq \infty$
Classical Trigonometry	$k = 2$	Trigonometric circle	
Ultra-Trigonometry (UT) 5.	$2 < k \leq \infty$	Rhombuses with curved sides and the concavity towards the reference O^*	

*) The coordinate system origin $Ox-Oy$

**) Polygonal -Trigonometry (PT)-2) is referring to the domain $1 < k < 2$, but k is variable in function of the number of the sides in the trigonometric polygon.

All of the above trigonometries in the table are contained in the Para-Trigonometry (PRT) where k is less or equal with zero and greater or equal with infinity.

3. APPLICATIONS OF THE PARA-TRIGONOMETRY

The toothed wheels are very often used in the domain of the machines and mechanical installations in the diverse transmission systems with chain, conveyers, elevators, the rolling systems with caterpillars and especially gearings. In function of their utilization the teeth profile have diverse geometrical forms.

The polar coordinates can be applied to define a complete denture of a toothed wheel mathematically with the Para trigonometric function named "Para trigonometric sinus" for four values of the Para trigonometric order k .

There are many graphs, which can be used in technology and they are obtained from giving to the order k some specific values. One can use these results of the Para Trigonometry as they please in modeling mathematically many applications problems.

4. CONCLUSIONS

- (i) The generic denomination of all these trigonometries including the Classical-Trigonometry is the PARA-Trigonometry (PRT), where $0 \leq k \leq \infty$. In other words, all these trigonometries can be comprised in the notion of the Para-Trigonometry.

- (ii) The basic relations and all the others from [6] can be applied in the case of all above mentioned trigonometries, distinguishing themselves by the domain of the values for the "order" k .
- (iii) The authors also believe that some computer programming can be developed to get some graphs of the curves in function of the order k .

REFERENCES

- [1] Baica, M. and Cardu, M., *Elements of Polygonal Trigonometry*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 47(61), 2, (2002), 7-13
- [2] Baica, M., and Cardu, M., *Regarding the General Character of the Polygonal Trigonometry*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 48(62), ISSN 1224-6069, (2003), 1-6
- [3] Baica, M., and Cardu, M., *Periodic Trans-trigonometric Functions*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mechanics, Proceedings of the XI-th International Conference on Vibration Engineering, 2005
- [4] Baica, M. and Cardu, M., *The Infra-trigonometry, an inferior order neighborhood domain of the Trans-trigonometry*, The Scientific Bulletin of the "Polytechnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 51(65), 1, 2006
- [5] Baica, M. and Cardu, M., *The Ultra-trigonometry, a superior order adjacent domain of the Trans-trigonometry*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 51(65), 1, 2006
- [6] Baica, M. and Cardu, M., *The Para-trigonometry and some of its specific Symmetries*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 51(65), 2, 2006
- [7] Baica, M. and Cardu, M., *Regarding the Para-trigonometric Equations on the circle*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 52(66), 1, 2007
- [8] Baica, M. and Cardu, M., *Some developments of Fundamental Para-trigonometric equation*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 52(66), 2, 2007
- [9] Baica, M. and Cardu, M., *The Application of the Para-trigonometric Fundamental Equation in the four trigonometric Quadrants*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 53(67), 1, 2008
- [10] Baica, M. and Cardu, M., *An Application case of the Para-trigonometric Polar Coordinates*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 53(67), 2, 2008
- [11] Baica, M. and Cardu, M., *Baica & Cardu Para- trigonometric functions raised to some powers and their Applications*, The Scientific Bulletin of the "Politehnica" University of Timisoara, Romania, Transactions on Mathematics and Physics, Tom 54(68), 1, 2009

THE UNIVERSITY OF WISCONSIN
 DEPARTMENT OF MATHEMATICAL & COMPUTER SCIENCES
 53190, WHITEWATER, WI., U.S.A.

S.C. HERBING S.R.L.
 9 STR. OTETARI, SECTOR 2, BUCHAREST, ROMANIA
 E-mail address: mircea.cardu@herbing.ro